

MATERIAL SAFETY DATA SHEET

Manufactured by: **A.L. Wilson Chemical Company**

Product Name: **EasyGo®**

Revision Number 1 Dated: 06/08/09

1. Chemical Product and Company Identification

Product name: EasyGo®

Product Description: Spot Remover for use by Professional Dry Cleaners

Manufacturer:

A.L. Wilson Chemical Company

P.O. Box 207

Kearny, NJ 07032

U.S.A

Telephone No.: 201-997-3300

Emergency No.: 800-424-9300 or 703-527-3887

2. Composition / Information on ingredients

CHEMICAL AND COMMON NAME	CAS#	Wt%	OSHA PEL	ACGIH TLV
Methyl Soyate; Methyl Esters, Soybean Oil	67784-80-9	< 30%	-	-
Distillate (Petroleum) Hydrotreated Light; Petroleum Distillates	64742-47-8	< 25%	-	-
Dipropylene glycol n-butylether; DPNB	29911-28-2	< 15%	-	-
d-Limonene; Orange Terpenes	5989-27-5	< 5%	-	-
Proprietary Surfactant Mixture				

3. Hazard(s) identification

Emergency overview: Clear yellow liquid. Non-combustible. In case of fire; Carbon Dioxide, Carbon Monoxide, and may yield sulfur dioxide and oxides of sulfur.

Eye Contact: May cause severe eye irritation.

Skin Contact: May cause skin irritation.

Inhalation: May cause dizziness.

Ingestion: May cause irritation and abdominal discomfort.

Chronic hazards: No known chronic hazards. Components not listed by NTP, IARC or OSHA as carcinogens.

Physical hazards: Spilled material could be slippery.

4. First Aid Measures

Eye contact: If in eyes, immediately flush with running water for at least 15 minutes. Get emergency medical attention.

Skin contact: If on skin, flush immediately with water for at least 15 minutes. Wash contact area with soap and water. Remove contaminated clothing, wash before re-use. If irritation occurs, get medical attention.

Inhalation: If inhaled, move affected person to fresh air. If drowsiness or dizziness persists get emergency medical attention.

Ingestion: If swallowed, get emergency medical attention. (Never give anything by mouth to an unconscious person.) Do not induce vomiting.

5. Firefighting Measures

Fire Fighters should use NIOSH approved SCBA & full protective equipment when fighting chemical fires. Use water spray to cool nearby containers exposed to fire.

Suitable extinguishing media: Use water fog, foam, carbon dioxide (CO2) to extinguish flames.

MATERIAL SAFETY DATA SHEET

Manufactured by: **A.L. Wilson Chemical Company**

Product Name: **EasyGo®**

Revision Number 1 Dated: 06/08/09

Unsuitable extinguishing media: ND

Specific hazards in case of fire: Carbon Dioxide, Carbon Monoxide, and may yield sulfur dioxide and oxides of sulfur.

6. Accidental Release Measures

Extinguish all ignition sources.

Personal precautions:

Cordon off spilled area. Wear protective clothing, neoprene or PVA coated gloves, rubber apron, rubber boots, hat, and chemical splash goggles. Remove any contaminated clothing and wash before re-use. Wash thoroughly after handling.

Methods and materials for containment and cleaning up:

Do not flush into storm sewer or contaminate ground water.

Use a universal absorbent material to collect waste and dispose in accordance with local regulations.

7. Handling and storage

Handling: Keep away from sparks, heat and flame sources.

Storage: Keep container sealed when not in use. Store in a cool and well ventilated place.

Do not store in a substitute container.

8. Exposure controls / personal protection

Information on the system design:

Name	Concentration (C)	Air Concentration (8 Hour)
Distillate (Petroleum) Hydrotreated Light	< 25%	Vapor, TWA = 1200 mg/m ³
Dipropylene glycol n-butylether	<15%	Aerosol, TWA = 10 mg/m ³

Engineering Controls: Use in well-ventilated area with local exhaust. An eye wash station and safety shower should be within direct access.

Respiratory protection: None needed when used with adequate ventilation.

Eye protection: Safety glasses with side shields or chemical goggles must be worn. Do not wear contact lenses.

Skin protection: Wear PVA or neoprene gloves and chemical protective apron. Wash thoroughly after handling.

Do not smoke, eat or drink in work area.

9. Physical and chemical properties

Physical state: Liquid

Colour: clear yellow

Odour: vegetable oil with mild orange fruity odor

pH-value: 6 – 7 (10% solution in water)

Initial boiling point: ~100°C

Flash point: >201°F

MATERIAL SAFETY DATA SHEET

Manufactured by: **A.L. Wilson Chemical Company**

Product Name: **EasyGo®**

Revision Number I Dated: **06/08/09**

Relative density: 0.92 g/cm³ at 20°C

Solubility: 1 in 1 part water at 20°C

10. Stability and reactivity

Chemical stability: Stable, if used according to specifications.

Possibility of hazardous reactions: Strong Alkali, Acids

Conditions to avoid: Strong Alkali and Acids, Flames

Materials to avoid: Strong oxidizing and reducing agents

Hazardous decomposition products: In case of fire; Carbon Dioxide, Carbon Monoxide, and may yield sulfur dioxide and oxides of sulfur.

11. Toxicological information

Acute Toxicity:

Test	Results	Basis
Oral LD ₅₀	Not available	
Dermal LD ₅₀	Not available	
Inhalation LD ₅₀	Not available	
Eye Irritation	Causes severe eye irritation	Based on Ingredients

Chronic Toxicity:

Test	Results
Dermal Sensitization	Not Available
Carcinogenicity	Not Listed IARC, NTP, OSHA

12. Ecological information

Aquatic Toxicity: It is expected to be toxic to fish. However it is expected to biodegrade.

13. Disposal considerations

Waste Disposal: Dispose of in accordance with federal, state and local regulations.

14. Transport information

This material is non-hazardous for shipping.

15. Regulatory information

All components are on TSCA (U.S.A), EINECS (EUROPE), AICS (Australia), ENCS (Japan), ECL (Korea), and DSL (Canada).

U.S. Regulations:

U.S. Superfund Amendments and Reauthorization Act (SARA) Title III:

SARA (311/312) HAZARD CATEGORIES: Fire

SARA 313: This product contains the following SARA 313 Toxic Release Chemicals: NONE

The following product components are cited on the lists below: NONE

MATERIAL SAFETY DATA SHEET

Manufactured by: **A.L. Wilson Chemical Company**

Product Name: **EasyGo®**

Revision Number 1 Dated: 06/08/09

16. Other information

Abbreviations and acronyms:

TSCA = Toxic Substance Control Act

DSL = Domestic Substance List (Canada)

AICS = Australian Inventory of Chemical Substances

EINECS = European Inventory of New and Existing Chemicals

ENCS = Inventory of Existing and New Chemicals Substances

ECL = Existing Chemicals List

NIOSH = National Institute for Occupational Safety and Health

SCBA = Self Contained Breathing Apparatus


ND = Not Determined

HMIS = Hazardous Materials Identification System

NFPA = National Fire Protection Association

HMIS RATINGS	
HEALTH	2
FLAMMABILITY	1
REACTIVITY	0
PERSONAL PROTECTION	B

NFPA RATINGS



The information contained herein is accurate to the best of our knowledge. A.L. Wilson Chemical Company makes no warranty of any kind, express or implied, concerning the safe use of this material in your process or in combination with other substances.